

# สารนิติบุคคล

## จุฬาลงกรณ์เวชสาร 2014

<b>A</b> Abdominal exercise machine Aberrant branches Abused children Acinetobacter baumannii Adherence Adjustment Adolescence Adrenal gland Adrenal incidentaloma Aggressive behavior Alcohol dependence Allele frequencies Alteplase Anger management Animal assisted therapy Antimalarial drug Antiphospholipid antibodies Anxiety Aplastic anemia Attitude Average glandular dose	Cardiovascular complications Cervicogenic headache Chest expansion Chronic heart failure Chronic kidney disease Chronic low back pain Cleanroom Cognition Cognitive impairment Compliance Complication Computed tomography Coping strategies Cross-sectional imaging Depression and Happiness Depression Diabetes foot Diabetes Digital breast tomosynthesis Disable children	657 267 433 637 281, 621 419 1 525 255 169 411 101 327 101 77 211 185 211, 341, 545 395 395 235 355
<b>B</b> Beta -thalassemia Body image Branching patterns Breast cancer	Elderly Emergency department Employees Entrance surface air kerma Esophageal manometry Esophageal scintigraphy	341, 545, 697 383 443 235 113 113
<b>C</b> Cardiac herniation	629	

<b>F</b>		<b>L</b>	
Female bus drivers	87	Liquid bolus	113
First year medical students	457	Loneliness	545
Foot care self-efficacy	395	Low density lipoprotein cholesterol	35
Force sensor	223	Lung mass	613
Forced vital capacity	433		
F-scan	223		
		<b>M</b>	
		Malaria	153
<b>G</b>		Mastectomy	563
G6PD deficiency	153	Medial patellofemoral ligament reconstruction	411
Glaucoma	169	Medical therapy	637
		Microorganisms	1
<b>H</b>		MPFL reconstruction	411
Happiness	211, 697	Multidetector computed tomography	471
Health belief model	169	Multiple-swallowing	113
Heart failure	637	Mutation	19, 153
Hematocrit	27		
Hemodialysis	511		
HIV adolescents	309	<b>N</b>	199
HIV-infected patients	247	Need assessment	
Home for the aged	341, 545	Nuclear medicine	485
Hypercholesterolemia	35	Nursing home	697
Hyperparathyroidism	621		
Hyperthyroid	485	<b>O</b>	255
		Occupational therapy	
		Orphans	211
<b>I</b>		Osteoporosis	497
Incidental adrenal lesion	101		
Inferior mesenteric artery	471	<b>P</b>	
In-shoe system	223	Paternity testing	19
Intrapericardial pneumonectomy	629	Pathogen	383
Iodine -131	485	Pediatric Hodgkin lymphoma	143
		Pelvic insufficiency fracture	371
<b>K</b>		Perceived severity	497
Ketoanalogues	281	Perceived susceptibility	497
		Personal factors	683

Personality	87	Self-esteem	185, 211, 545, 683
Pharmaceutical sale representatives	47	Semisolid bolus	113
Pharmacological treatment	637	Sepsis	383
Physical therapy	267	Sexual wellbeing	309
Plantar pressure measurement	223	Short tandem repeat	19
Policosanol	35	Single swallowing	113
Polymorphisms	599	Slow vital capacity	433
Pregnant Adolescents	199	Social support	683
Prevalence	297, 371, 577	Specific gravity	27
Preventive behavior	497	Stress reduction behaviors	47
Primary school student	297	Stress	47, 87, 355
Problem-solving	61	Student uniforms	433
Psychosocial and environmental problem	199	Submassive PE	589
Pulmonary artery sarcoma	613	Substance abuse	327
Pulmonary function	433	Surface-coated tunneled catheter	511
		Systemic lupus erythematosus	577
<b>Q</b>			
Quality of life	419	<b>T</b>	
		Technetium-99m	485
<b>R</b>			
Radiation therapy	371	Teenage pregnancy	683
Radiotherapy	143	Thai traditional massage	125
Red yeast rice	35	Thanyarak Institute	125
Rehabilitation	267	Thrombolysis	589
Rehabilitation stage	125	Thyroid uptake	485
Resilience quotient	443	Tidal volume	433
Rhodium filter	235	Tumor embolism	613
Right ventricular dysfunction	589	Tungsten target	235
<b>U</b>			
<b>S</b>			
Sedimentation sign	621	Unknown primary malignancy	101
Self care	683	Uremic tumoral calcinosis	621
Self-Awareness	327	<b>V</b>	
Self-concept	61	Vascular dementia	255